

146

Dated 18th July 1952.

To

The Firms dealing in Sluice Valves.

Enquiry No. 11095.

Subject:—Sluice Valves for Bangalore City.

Gentlemen,

No. S.P.C. 16331-60. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation, will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Sluice Valves for Bangalore City Distribution" with the above enquiry number.

This enquiry will be closed on the 11th August 1952.

SCHEDULE.

	F.O.R. Bangalore	Quantity.
1. Specifications:—Double flanged sluice valves 3" size. ... 70 Nos.		
Body to be of good cast iron with gun-metal spindle, bronze working parts. Cast Iron cap to be fitted to the top of the spindle and to open clockwise. Flanges to be faced and drilled to British standard specification—Class 'C'. Working pressure—200 ft. head of water. The valve should be of sturdy heavy pattern. (Light and medium pattern valves should not be quoted for).		

- N.B.—1. The Quotations with firm prices are preferred.
2. Sales-tax, if any, should be shown separately.
3. The quotations will be opened at 2 P.M. on the next working day of the closing date.

3150

Dated 18th July 1952.

To

The Firms dealing in Sluice Valves.

Enquiry No. 11096.

Subject:—C. I. Sluice Valves of 3" and 4" with tail pieces both ends.

Gentlemen,

No. S.P.C. 16301-30. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for C.I. Sluice valve of 3" and 4" with tail pieces both ends required for Tumkur Water Supply Work" with the above enquiry number.

This enquiry will be closed on the 11th August 1952.

SCHEDULE.

	F.O.R.	Quantity	Time of delivery
1. 4" C.I. Sluice Valves with tail pieces both ends. Tumkur		6 Nos. ...	Immediate.
2. 3" Do do do		6 Nos.	from ready stocks.

- N.B.—1. Quotations with firm prices will be preferred.
2. Sales-tax should be quoted separately.
3. No enhancement of prices will be allowed after the acceptance of the tender.
4. Quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.

3150(a)

Dated 18th July 1952.

To

The Firms dealing in Sluice Valves.

Enquiry No. 11099.

Subject:—Sluice Valves for Jayanagar Extension Bangalore.

Gentlemen,

No. S.P.C. 16361-90. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Sluice Valves for Jayanagar Extension" with the above enquiry number.

This enquiry will be closed on the 11th August 1952.

SCHEDULE.

	F.O.R. Bangalore	Quantity.
Double flanged sluice valves, Body to be of good cast Iron with gun-metal spindle, bronze working parts. Cast Iron cap to be fitted to the top of the spindle and to open clockwise. Flanges to be faced and drilled to British standard specification—Class 'C' Working Pressure—200 Ft. head of water. The valve should be sturdy heavy pattern. (Light and medium pattern valves should not be quoted for)—Direction of opening—Clockwise.		
No. required 3"	...	527.
Do 4"	...	71.

- N.B.—1. The quotations with firm prices will be preferred.
2. Sales-tax should be quoted separately.
3. No enhancement of prices will be allowed after the acceptance of the tender.
4. quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.

3149

Dated 18th July 1952.

To

The Firms dealing in C.I. Collars.

Enquiry No. 11100.

Subject:—C.I. Collars.

Gentlemen,

No. S.P.C. 16391-420. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Store Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for C.I. Collars" with the above enquiry number.

This enquiry will be closed on the 3rd August 1952.

SCHEDULE.

	Quantity.
1. 3" C.I. Collars, each weighing 32 lbs. ...	300 Nos.
2. 4" Do do 60 lbs. ...	200 "

N.B.—All collars to suite pipes for B.S.S. Class B.

NOTE.—Quotations with firm prices are preferred.
Sales-tax if any should be quoted separately.
Quotations will be opened at 2 P.M. on the next working day after the closing date.

3149 (a)